

Networking Solved



- Pathport Manager Software provides comprehensive network overview and powerful configuration tools
- End-to-end DMX512 over Ethernet management
- Professional equipment
- Rugged gear in every conceivable form factor
- Portable and installed applications
- Support for ArtNet, E1.31 sACN, Pathport and Shownet
- Entertainment network management that makes sense

PATHPORT GATEWAYS. FEATURE RICH.

- Up to 64000 input universes according to protocol
- Unlimited outputs
- Slot-by-slot softpatch
- Merge and prioritize up to 8 inputs
- Each output port can have a unique patch
- Port direction set by user, not by connector gender
- Cross fade between sources
- Change input priorities on the fly with "Magic Channel"
- User-definable signal loss behavior
- Adjustable DMX512 update rate
- Pathport Manager – Free configuration software utility compiled for Windows or MAC
- Pathport Manager includes E1.20 RDM Controller
- Special model converts Crestron and AMX ASCii control to reliable DMX512

THE GIGABIT SWITCH FOR ENTERTAINMENT NETWORKS.

- Designed specifically for entertainment systems
- Fanless, convection cooled
- Front panel LCD display and encoder knob enables most parameters to be set without need for a computer
- Layer 2/3 management including VLAN, EAPS Ring protection, port speed, bandwidth monitoring and PoE allocation
- RJ45 Ethercon connectors for copper
- Mini GBIC SFP ports for fiber
- Choose from 10 copper + 1 SFP or 12 copper + 2 SFP models



PATHPORT GATEWAYS. A FORM FACTOR FOR EVERY APPLICATION.



Octo

- Eight DMX512 ports
- Rugged cast aluminum housing
- Front panel LCD display and encoder knob enables most parameters to be set without need for a computer
- Status LEDs for instant confirmation of port direction and activity
- Lowest cost per port
- Front and rear panel connector options. XLR5F, Phoenix terminal and RJ45 Ethercon
- 19" rack-mount standard. Optional wall and truss-mount kits

Quattro

- Four DMX512 ports
- Rugged cast aluminum housing
- Power-over-Ethernet device with optional auxiliary 24VDC power supply
- Front panel LCD display and encoder knob enables most parameters to be set without need for computer or web browser
- Status LEDs for instant confirmation of port direction and activity
- 19" rack-mount standard; optional wall and truss-mount kits
- Connectors on rear panel – XLR5F, Phoenix terminal and RJ45 Ethercon
- Companion XLR5 front panel connector kits available

C-Series

- Two DMX512 ports
- Recessed, surface and portable mounting options
- Power-over-Ethernet or 24VDC input device
- LCD display
- XLR5 male and female connector options



Uno

- One DMX512 port
- Recessed, surface and portable mounting options
- Power-over-Ethernet device with auxiliary 24VDC power supply option available for portable models
- Status LEDs for instant confirmation of port direction and activity
- XLR5 male and female connector options



Pathport eDIN

- One, two or four DMX512 ports
- 35mm DIN rail mountable
- Power-over-Ethernet or 24VDC operation
- Pluggable screw terminal



D-Series

- Two DMX512 ports
- 6" X 6" surface-mount enclosure intended for dimmer rooms and utility closets
- Power-over-Ethernet or 24VDC input device
- LCD display
- Pluggable screw terminal block terminations



Touring Edition

- One DMX512 port
- Rugged injection molded case rated at IP54
- LCD display with three-button user interface enables most parameters to be set without need for computer or web browser
- Power-over-Ethernet device
- 9VDC battery enables use as portable handheld basic RDM controller and DMX512 tester
- XLR5 female connector





A pioneer in entertainment lighting, Pathway Connectivity is renowned for solid, easy-to-use equipment with comprehensive, robust features.

Our reputation for innovation and reliability is based on over twenty-five years commitment to enhancing the functions and interoperability of lighting systems around the world.



For more info, visit
www.pathwayconnect.com

#103-1439 17 Avenue SE
Calgary AB Canada T2G 1J9
T 403.243.8110
F 403.287.1281

©2014-2015 Acuity Brands Lighting, Inc. All rights reserved.
Rev. 09/15 PW_2140